حكومتِ بإكستان




اپریل مرید رید

# ہفتہ وارخشک سالی کی ربور ط

ہفتہ ہم

۳۲-۴۳ اپریل



قومی خشک سالی کی گگرانی اور ابتدائی انتبابی مرکز محکه موسیات، بطرس بخاری رود، پوسٹ باس نمبر ـ 1214، سیٹران ۱۲/۸ اسلام آباد، پاکستان





## حومت پاکتان محکمه موسمیات قوی خشک سالی کی نگرانی اورابتدائی انتبانی مرکز،اسلام آباد چفته وار خشک سالی کا بلیدشن

فون:9250598- 051 فيكس:9250368- 051


۲منی،۲۰۲۵


اپریل کے چوتھے ہفتے (۱۳۲۲ ساپریل) کے دوران، ملک کے ثالی حصول بلحضوص بالائی خیبر پختونخوااور گلگت بلتستان میں بلکی ہے در میانے در جہ کی بارش ریکارڈ ہوئی ہے تاہم، سندھ، بلوچستان، تشمیر اور پنجاب خشک
رہے۔ خیبر پختونخوااور گلگت بلتستان میں کہیں بلکی کہیں در میانہ در ہے کی بارش ہوئی۔ بارش کی مقامی تقسیم تصویر۔ امیس ظاہر کی گئی ہے۔ بارش کے ہفتہ وار معمول (۲۰۲۰-۱۹۹۱) سے انحواف کو تصویر۔ ۲ میں ظاہر کی گئی ہے۔ بارش کے مطابق ملک میں معمول سے کم بارش ریکارڈ کی گئی۔ سندھ، جنوبی پنجاب اور جنوب مغربی بلوچستان میں بارشیں نہ ہونے کی وجہ سے بلکی خشک سالی کی شدت بر قرار ہے۔ پائی کا مد برانہ استعمال خشک سالی کے اثرات کو کم کرنے میں مدد کر سکتا ہے۔







بلوچتان اور سندھ کے خشک سالی سے متاثرہ علاقے ہفتہ واراوسط سے زیادہ در جہ حرارت کاسامنا کر رہے ہیں۔ گزشتہ ہفتے کے دوران اوسط در جہ حرارت کو سفتہ وار معمول (۲۰۲۰-۱۹۹۱) سے انحراف کو تصویر ۴ میں ظاہر کیا گیا ہے۔ ملک کے بیشتر حصوں میں درجہ حرارت اوسط سے اتائ ڈ گری سینٹی گریڈزیادہ ریکارڈ کیا گیا۔ جو کہ آنے والے دنوں میں نمی کے تناسب پراثر ڈالے گا۔ اس طرح یانی کی طلب میں مزید اضافہ ہونے کا امکان ہے جو یانی کے دستیاب و سائل پر مزید د باؤڈالے گا۔






ملک میں بارش کے ہفتہ وار معمول (۲۰۲۰-۱۹۹۱) کی تقسیم کو تصویر ۵ میں د کھایا گیا ہے۔ ملک کے بیشتر حصوں میں ہفتہ وار معمول کی بارش صفر سے ۱۰ ملی میٹر جبکہ بالا کی تشمیر اور بالا کی خیبر پختو نخوااور پارا چنار میں ااتا ۳۵ ملی میٹر ہوتی ہیں معمول کے ہفتہ وار اوسط در جہ حرارت کو تصویر ۲ میں د کھایا گیاہے، جو ۱۲ سے ۳۴ ڈگر کی سینٹی گریڈ تک ہے۔ جنوب کے نشیبی میدانوں میں در جہ حرارت معمول کے مطابق زیاد ہر ہتا ہے۔





تصویر ۷ میں ۲۲تا ۱۸۲۷ پریل کے دوران زمین کی سطح پرنمی کی موجودہ صور تحال کا (معمول: ۲۰۱۲-۱۹۴۸) سے تناسب د کھایا گیاہے۔ بید پروڈکٹ ناسا کے زمینی پانی کے ذخیرے کے مشاہدات پر مبنی ہے، جو GRACE-FO سیٹلائٹ ڈیٹاسے حاصل کیے گئے ہیں۔ جس میں کم اقدار (بھورے رنگ) معمول سے زیادہ خشک اور زیادہ اقدار (نیلے رنگ) معمول سے زیادہ زمین میں نمی کی حالت کو ظاہر کرتی ہیں۔ ملک کے بیشتر حصوں میں زمین میں نمی کی مقدار کم جبکہ صوبہ سندھ میں قدر بہتر ہے۔ زمین میں نمی کی مقدار میں کی کا باعث بن سکتی



تصویر - 2: زمین کی سطیر نمی کی مقدار

#### ٢ سے ٨ مئ كے دوران موسم كى پيشنگونى

خیبر پختونخوا، شالی اور مشرقی بلوچستان، پنجاب، پو ٹھوہار، اسلام آباد، سندھ، گلگت بلتستان اور کشمیر میں چند مقامات پر تیز ہواؤں /آند ھی اور گرج چیک کے ساتھ بارش جبکہ ملک کے دیگر علاقوں میں موسم گرم اور خشک رہنے کاام کان ہے۔

متوقع بارشیں سندھ، بلوچستان اور جنوبی پنجاب میں خشک سالی کے اثرات کو کم کرنے میں مدودیں گی۔

#### **GOVERNMENT OF PAKISTAN**

# April 2025



# WEEKLY DROUGHT BULLETIN

Week-4
22-30 April



### **National Drought Monitoring and Early Warning Centre**

PMD, Pitras Bokhari Road, Post Box No. 1214, Sector H-8/2, Islamabad, Pakistan URL: <a href="https://ndmc.pmd.gov.pk/new/">https://ndmc.pmd.gov.pk/new/</a>



# GOVERNMENT OF PAKISTAN PAKISTAN METEOROLOGICAL DEPARTMENT

(National Drought Monitoring Centre)
Islamabad

Dated: 02 May, 2025

Tel: 051-9250598 Fax: 051-9250368

#### **Weekly Drought Bulletin**

During the fourth week of April 2025, light to moderate rainfall was recorded in the northern regions of Pakistan, notably in upper Khyber Pakhtunkhwa (KP) and Gilgit-Baltistan. However, Punjab, Sindh, most of KP, Kashmir and Balochistan experienced predominantly dry conditions. The spatial distribution of this precipitation is illustrated in Figure 1. Rainfall intensities varied within the affected areas, with certain locales receiving higher amounts than others. Figure 2 presents the deviation of weekly rainfall from the long-term average (1991 to 2020). It indicates that most of the country received below-normal or no rainfall.

Persistent mild drought conditions continued in Sindh, Balochistan, and southern Punjab due to insufficient rainfall. Implementing water conservation measures can help in mitigating the impacts of the drought.




Figure 1: Spatial Distribution of Rainfall (mm)





Figure 2: Departure of Rainfall (mm)

The drought-affected regions of Balochistan and Sindh are currently experiencing higher-than-normal temperatures. During the specified week, the spatial distribution of mean temperature is presented in Figure 3. Figure 4 illustrates the deviation of weekly temperatures to long term normal (1991-2020).

During the fourth week of April 2025, Pakistan experienced significant temperature anomalies, with deviations ranging from 1°C to 7.5°C above the weekly climatological normal.

Concurrently, the increased temperatures are expected to amplify both agricultural irrigation requirements and domestic water consumption, thereby exerting additional pressure on already constrained water resources.






Figure 3: Spatial Distribution of Mean Temperature (°C)

Figure 4: Departure of Mean Temperature ( ${}^{\circ}C$ )

Figure 5 depicts the spatial distribution of climatological weekly rainfall across the country, derived from the 1991–2020 reference period. The data reveal a pronounced spatial heterogeneity, with most regions exhibiting weekly normal of 0-10 mm. Orographically influenced areas, including upper Kashmir, Gilgit-Baltistan (GB), upper Khyber Pakhtunkhwa (KP), and Parachinar, demonstrate significantly enhanced rainfall, typically receiving 11-35 mm due to topographic forcing of moist air masses.

Figure 6 presents the corresponding weekly mean temperature climatology, showing a substantial thermal gradient ranging from 12°C (in northern high-altitude regions) to 36°C (in southern low-elevation zones). This meridional temperature variation reflects the combined influences of latitude, altitude, and local land-atmosphere interactions.




Figure 5: Spatial Distribution of weekly normal Rainfall (mm)




Figure 6: weekly normal Mean Temperature(°C

Surface soil moisture for the period from 22<sup>nd</sup> to 28<sup>th</sup> April, 2025 is shown in Figure 7. This product is based on NASA terrestrial water storage observations derived from GRACE-FO satellite. The

drought indicators describe current wet or dry conditions, expressed as a percentile showing the probability of occurrence for that condition at a particular location and time of year, with lower values (warm colors) meaning dryer than weekly normal, and higher values (blues) meaning wetter than weekly normal. Surface soil moisture is low in most parts of the country except few areas of Sindh province along the Indus River and Lesbella (Baluchistan). The deficiency of surface soil moisture may have repercussions on crops leading to their premature ripening as well as decrease in yield.




Figure 7: Surface Soil Moisture (Percentile)

#### Forecast for 2<sup>nd</sup> to 8<sup>th</sup> May, 2025

Rain-wind/thunderstorm is expected at isolated places in Khyber Pakhtunkhwa, northern and eastern Balochistan, Punjab, Sindh, Gilgit Baltistan and Kashmir while hot and dry weather is expected elsewhere in the country.

The anticipated rainfall is expected to ease the effects of the drought in Sindh, Balochistan, and southern Punjab.

<u>For drought update, visit NDMC official website:</u> https://ndmc.pmd.gov.pk/new/bulletins.php